



Map 4

Soils and Geologic Features

SOILS LEGEND FOR CARLISLE MASSACHUSETTS

- 1 Water
- 103B Charlton-Hollis-Rock outcrop complex, 3 to 8 percent slopes
- 103C Charlton-Hollis-Rock outcrop complex, 8 to 15 percent slopes
- 103D Charlton-Hollis-Rock outcrop complex, 15 to 25 percent slopes
- 104C Hollis-Rock outcrop-Charlton complex, 3 to 15 percent slopes
- 104D Hollis-Rock outcrop-Charlton complex, 15 to 25 percent slopes
- 105E Rock outcrop-Hollis complex, 3 to 35 percent slopes
- 223B Scio very fine sandy loam, 3 to 8 percent slopes
- 251B Haven silt loam, 3 to 8 percent slopes
- 253A Hinckley loamy sand, 0 to 3 percent slopes
- 253B Hinckley loamy sand, 3 to 8 percent slopes
- 253C Hinckley loamy sand, 8 to 15 percent slopes
- 253D Hinckley loamy sand, 15 to 25 percent slopes
- 253E Hinckley loamy sand, 25 to 35 percent slopes
- 254A Merrimac fine sandy loam, 0 to 3 percent slopes
- 254B Merrimac fine sandy loam, 3 to 8 percent slopes
- 254C Merrimac fine sandy loam, 8 to 15 percent slopes
- 255A Windsor loamy sand, 0 to 3 percent slopes
- 255B Windsor loamy sand, 3 to 8 percent slopes
- 255C Windsor loamy sand, 8 to 15 percent slopes
- 256A Deerfield loamy sand, 0 to 3 percent slopes
- 256B Deerfield loamy sand, 3 to 8 percent slopes
- 259B Carver loamy coarse sand, 3 to 8 percent slopes
- 259C Carver loamy coarse sand, 8 to 15 percent slopes
- 260B Sudbury fine sandy loam, 3 to 8 percent slopes
- 261A Tisbury silt loam, 0 to 3 percent slopes
- 261B Tisbury silt loam, 3 to 8 percent slopes
- 262B Quonset sandy loam, 3 to 8 percent slopes
- 262C Quonset sandy loam, 8 to 15 percent slopes
- 300B Montauk fine sandy loam, 3 to 8 percent slopes
- 300C Montauk fine sandy loam, 8 to 15 percent slopes
- 300D Montauk fine sandy loam, 15 to 25 percent slopes
- 302B Montauk fine sandy loam, 3 to 8 percent slopes, extremely stony
- 302C Montauk fine sandy loam, 8 to 15 percent slopes, extremely stony
- 302D Montauk fine sandy loam, 15 to 25 percent slopes, extremely stony
- 305B Paxton fine sandy loam, 3 to 8 percent slopes
- 305C Paxton fine sandy loam, 8 to 15 percent slopes
- 305D Paxton fine sandy loam, 15 to 25 percent slopes
- 305E Paxton fine sandy loam, 25 to 35 percent slopes
- 307B Paxton fine sandy loam, 3 to 8 percent slopes, extremely stony
- 307C Paxton fine sandy loam, 8 to 15 percent slopes, extremely stony
- 307D Paxton fine sandy loam, 15 to 25 percent slopes, extremely stony
- 307E Paxton fine sandy loam, 25 to 35 percent slopes, extremely stony
- 30B Raynham silt loam, 0 to 5 percent slopes
- 310B Woodbridge fine sandy loam, 3 to 8 percent slopes
- 311B Woodbridge fine sandy loam, 3 to 8 percent slopes, very stony
- 312B Woodbridge fine sandy loam, 3 to 8 percent slopes, extremely stony
- 312C Woodbridge fine sandy loam, 8 to 15 percent slopes, extremely stony
- 315B Scituate fine sandy loam, 3 to 8 percent slopes
- 317B Scituate fine sandy loam, 3 to 8 percent slopes, extremely stony
- 317C Scituate fine sandy loam, 8 to 15 percent slopes, extremely stony
- 32B Wareham loamy fine sand, 0 to 5 percent slopes
- 33B Raypol silt loam, 0 to 5 percent slopes
- 36A Saco mucky silt loam, 0 to 1 percent slopes
- 405B Charlton fine sandy loam, 3 to 8 percent slopes
- 405C Charlton fine sandy loam, 8 to 15 percent slopes
- 407B Charlton fine sandy loam, 3 to 8 percent slopes, extremely stony
- 407C Charlton fine sandy loam, 8 to 15 percent slopes, extremely stony
- 407D Charlton fine sandy loam, 15 to 25 percent slopes, extremely stony
- 415B Narragansett silt loam, 3 to 8 percent slopes
- 415C Narragansett silt loam, 8 to 15 percent slopes
- 420B Canton fine sandy loam, 3 to 8 percent slopes
- 420C Canton fine sandy loam, 8 to 15 percent slopes
- 420D Canton fine sandy loam, 15 to 25 percent slopes
- 422B Canton fine sandy loam, 3 to 8 percent slopes, extremely stony
- 422C Canton fine sandy loam, 8 to 15 percent slopes, extremely stony
- 422D Canton fine sandy loam, 15 to 25 percent slopes, extremely stony
- 424B Canton fine sandy loam, 3 to 8 percent slopes, extremely bouldery
- 424C Canton fine sandy loam, 8 to 15 percent slopes, extremely bouldery
- 44A Birdsall mucky silt loam, 0 to 1 percent slopes
- 51A Swansea muck, 0 to 1 percent slopes
- 52A Freetown muck, 0 to 1 percent slopes
- 53A Freetown muck, ponded, 0 to 1 percent slopes
- 622C Paxton-Urban land complex, 3 to 15 percent slopes
- 653 Udorthents, sandy
- 654 Udorthents, loamy
- 655 Udorthents, wet substratum
- 6A Scabro mucky fine sandy loam, 0 to 3 percent slopes
- 71B Ridgebury fine sandy loam, 3 to 8 percent slopes, extremely stony
- 73B Whitman fine sandy loam, 0 to 5 percent slopes, extremely stony
- 8A Limerick silt loam, 0 to 3 percent slopes
- 97A Suncook loamy sand, 0 to 3 percent slopes